





CFORCE 450 / 450 L

CFMOTO answers the call of customers looking for a rugged, maneuverable and affordable midsize machine with the CFORCE 450. Built tough to handle the demands of your day, its quality starts with a high-strength steel-frame backbone, matched to a proven single-cylinder liquid-cooled SOHC engine and smooth CVT transmission. The robust output of the 400cc engine, plush suspension travel, four hydraulic disc brakes, 24-inch AT tires, comfortable ergonomics and 1350-lb towing capability puts the CFORCE 450 on par with bigger brands in all aspects. Whether you're moving equipment on your property or tending to the livestock, the CFORCE 450 has the advanced features, accessories and all-day comfort to get the job done.



Lava Orange

Hunte

Jet Blac







CFORCE 520 / 520 L

With a tighter turning radius, a stronger frame, even more suspension travel and comfort, and increased loading capacity, the CFORCE 520 will take on your toughest tasks, and still be ready for fun when the work is done. The 495cc engine of the CFORCE 520 adds more power and more possibilities to CFMOTO's venerable ATV platform. Fortified with EPS, bigger torque and premium accessories such as RIDEVI-SION® LED lights, aluminum alloy wheels, and 25-inch AT tires bring its rugged capability to a new level. Handguards, and interchangeable luggage racks with the CFCONNECT quick-release system add comfort and convenience. Standard features like a remote-control 2500-lb winch and an array of available accessories make the CFORCE 520 an ideal machine to outfit for your adventure.



CFORCE 625/625 TOURING

With a focus on upgrading power, CFMOTO offers a revised 580cc liquid-cooled 4-valve single-cylinder engine in the CFORCE 625. Power delivery remains smooth, predictable and strong, now with an all-around higher output across the power band. An all-new ECU and electronic throttle ensure the torque is maximized throughout the rpm range, and also makes it possible to equip the CFORCE 625 with Dual Power Modes, to suit the needs of your work throughout the day. EPS, full hydraulic disc brakes, double A-arm suspension continues to provide a comfortable ride and agile performance. The camo version is specially equipped with dark alloy rims, ideal for hunting activities. The CFORCE 625 comes in both single rider and two-up versions.



Nebu Black

DIUCK

Pearl Injected Blue

Velocity Grey

TrueTimber Camo







CFORCE 850 XC

With the big-bore grunt of an 800cc V-twin, long-wheel-base stability and plenty of features to maximize fun and function, the CFMOTO CFORCE 850 XC features both outstanding performance and versatility. It is sure to provide riders with great riding experience and also rich in accessories engineered to maximize the riding fun.



CFORCE 1000

The mighty CFORCE 1000 puts out more power than any other machine in CFMOTO ATV family. Through its 963cc V-twin liquid-cooled engine, the CFORCE 1000 has the muscle to handle heavy loads and tackle rugged terrain. Superior driver comfort and choice accessories offer outstanding performance, functionality and aesthetics that make long days in the seat more enjoyable. A CVT transmission, power steering, 2WD/4WD capability with locking front differential equip the CFORCE 1000 with rugged capability. Long wheelbase, alloy wheels and 27" tires, and a heavy duty 3000lb winch ensure you always have that little bit extra to handle your toughest tasks.



CFORCE 1000 OVERLAND

The OVERLAND is the premium flagship of the CFORCE line. Factory-fitted extras to the most powerful ATV from CFMOTO include beadlock rims, front and rear protector bars, LED riding lights, an 8mm HDPE full-length skid plate, premium camo paint, fender extenders and windshield. All-day comfort, precise handing and premium onboard equipment give you the freedom to explore, and the freedom to take it all with you. Generous storage capacity and room for a passenger mean you can get away for an afternoon, a day, or even a weekend with everything you need for comfort and convenience in the great beyond.







UFORCE 600

Bursting with standard features such as progressive EPS, the UFORCE 600 is more powerful, more agile and even more work ready than its predecessor. Take on the outdoors with confidence, and power through your workday quicker with lightweight handling, 4x4 capability and a gas-assisted cargo box. In addition to the outstanding base spec, the UFORCE 600 is also highly customizable thanks to the huge CFMOTO accessories catalogue. The UFORCE 600 puts power, capability and versatility in your hands, whether it is geared toward work, fun, or the balance in between.



Velocity

Tactical Green







UFORCE 1000

The UFORCE 1000 is the all-round winner in the CFMOTO utility range with neutral ergonomics, outstanding design, potent power and excellent handling performance. Switchable 2WD/4WD technology and additional integrated technologies further improve its premium utility performance. The UFORCE 1000 will help you tackle your toughest tasks while ensuring a comfortable, safe and capable ride.



Twilight Blue

ebula

Nebula Black

TrueTimber

UFORCE 1000 XL

The UFORCE 1000 XL boosts the toughest UTV in the CFMOTO family to a six-seater. Based on the powerful and rugged UFORCE 1000 platform, this all-new model's strong performance allows the vehicle to move your crew and equipment with greater efficiency. Whether it's getting your staff to the jobsite, or getting your family to the lake for some fun, the UFORCE 1000 XL gives you the power to get it done in less time.



Twiligh Blue

Nebulo Black

TrueTimber Camo







ZFORCE 1000 SPORT R

With even more horsepower, a sturdy and wideset 64-inch width and more agile handling, CFMOTO has elevated the all-terrain performance of the ZFORCE 1000 SPORT to new levels.

All-new sway bar is a gamechanger in lateral stability, and optimizes the ample 340mm of front suspension travel. The rear suspension adopts a new quad-link structure, and trailer arm with a rigid sway bar. 395mm of rear suspension travel means you can conquer even tougher obstacles. 29-inch tires mounted on stylish and rugged 14-inch aluminum beadlock wheels set the stage for ground-gripping action on this powerful sport side-by-side.



CFORCE 110(CE)

The compact, agile off-road chassis of the CFORCE 110 brings more fun to the youth ATV class. The CFORCE 110 is equipped with several of the same performance features found on full-size models including double A-arm independent front suspension, disc brakes and electric start. The 110cc SOHC engine is tuned to produce smooth, linear power that is ideal for learning riders. Electronic technology puts the power of control in parents' hands, and young riders within safety beyond eyesight. Accessible performance means kids can learn at their own pace and their adventures can grow as skills improve.





TECHNICAL DATA

Overall Dimensions

Length x Width x Height	1490x950x925 mm
Wheelbase	1020 mm
Minimum Ground Clearance	110 mm
Maximum Speed	45 km/h
Curb Weight	125 kg
Maximum Payload Capacity	70 kg
Fuel Capacity	6.7 L
Age	10+

Engine

Displacement	110cc, EFI
Drive	2WD

Chassis

Brake	Hydraulic discs
Suspension	F: Double A-arm independent suspension, 140mm travel R: Mono-shock swingarm suspension, 156.5mm travel
Wheels	Front: 10x5.0 Rear: 8x7.0
Tire	Front: AT19×6.00-10 Rear: AT18×9.00-8

With the all-new electric powered CFORCE EV110, CFMOTO not only makes its mark in ATV history, but also delivers on the brand promise "Experience More Together." Set your growing rider on the course for fun and adventure with the all-electric CFORCE EV110 ATV. Easy to operate, low maintenance and impressive off-road performance, the EV110 is capable of big fun for riders 10 years and up, while also fully equipped with safety features for parents' peace of mind.



TECHNICAL DATA

Length x Width x Height	1500x935x950 mm
Wheelbase	1020 mm
Minimum Ground Clearance	115 mm
Maximum Speed	45 km/h
Curb Weight	130 kg
Maximum Payload Capacity	70 kg
Battery capacity	2400wh. 44V 53Ah.
Age	10+
Drive	2WD Lock
Brake	Hydraulic discs
Suspension	F: Double A-arm independent suspension, 140mm R: Mono-shock swingarm suspension, 165mm
Wheels	Front: 10x5.0 Rear: 8x7.0
Tire	Front: AT19×6.00-10 Rear: AT18×9.00-8
Charger Power	550w
Full Charge Time	4 hours
Estimate Range	60km (30km/h, 25°C)









2395x1264x1420 mm

V-twin cylinder, liquid-cooled,

2WD/4WD/Front differential lock

Four wheel hydraulic disc

independent suspension

independent suspension

(optional air shocks)

Front: 26×9.00-14

Rear: 26×11.00-14

Velocity Grey,

TrueTimber Camo

Lava Orange, Royal Blue,

Spiral spring oil shock absorber

Front: 14x7.0 Rear: 14x8.0

+ rear wheel parking

F: Double A-arm

R: Trailing arm

4-stroke, SOHC, 8-Valve

1480 mm

285 mm

480 kg

240 kg

800 cc

CVT

Bosch EFI

30 L









UFORCE 1000

2945×1615×1850 mm

2050 mm

280 mm

690 kg

685 kg

40 L



UFORCE 1000XL

3770×1615×1850 mm

2850 mm

280 mm

870 kg

1550 kg

40 L



ZFORCE 1000 SPORT R

3020×1820×1850 mm

V-twin cylinder, liquid-cooled,

4-stroke,SOHC,8-Valve

2285 mm

340 mm 705 kg

290 kg

36.5 L

963 cc

Bosch EFI

F: Double A-arm,

R: Quadlink

independent suspension

CFORCE 450 /450L **Overall Dimensions**

Length x Width x Height S: 2186x1125x1150 mm L: 2386x1125x1205 mm

Wheelbase Minimum Ground Clearance

Curb Weight

Payload Capacity 240 kg Fuel Capacity



Single cylinder, liquid-cooled,

2WD/4WD/Front differential lock

4-stroke, SOHC, 4-valve

17 L Engine

Engine Type

Displacement 400 cc Transmission Bosch EFI CVT Transmission

Chassis Drive

Brake Four wheel hydraulic disc + rear wheel parking

F: Arched double A-arm Suspension independent suspension R: Double A-arm independent suspension

Suspension Travel F: 190mm R: 225mm

Shock Absorber Spiral spring oil shock absorber

Front: 12x6.0 Rear: 12x7.5

Front: AT24×8.00-12, 25×8.00-12 Rear: AT24×10.00-12, 25×10.00-12

Color(S) Available Hunter Green Lava Orange Jet Black Sky Blue



520 /520 L

S: 2186x1125x1162 mm L: 2386x1125x1217 mm

S: 1260 mm L: 1460 mm

262 mm

S: 351 kg L: 365 kg

240 kg 17 L

Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve

495 cc Bosch EFI

CVT

2WD/4WD/Front differential lock

Four wheel hydraulic disc + rear wheel parking

F: Arched double A-arm independent suspension R: Double A-arm independent suspension

F: 190mm R: 225mm

Spiral spring oil shock absorber

Front: 12x6.0 Rear: 12x7.5

Front: 25×8.00-12 Rear: 25×10.00-12

Lava Orange TrueTimber Camo Force Red Sky Blue



CFORCE 850 XC

625/625 TOURING

1280 mm T: 1480 mm

2035×1180×1220 mm

T:2235×1180×1390 mm

270 mm

CFORCE

395 kg T: 415 kg 230 kg

18 L

Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve

580 cc Bosch EFI

CVT

2WD/4WD/Front differential lock

Four-wheel hydraulic disc + rear wheel side parking

> F: Arched double A-arm independent suspension R: Double A-arm independent suspension

F: 160mm R: 210mm

Spiral spring oil shock absorber

Front: 12x6.0 Rear: 12x7.5

Front: 25×8.00-12 Rear: 25×10.00-12

Force Red, Nebula Black, Velocity Grey, TrueTimber Camo, Pearl Injected Blue

CFORCE 1000

2395x1264x1420 mm

1480 mm 300 mm 490 kg 240 kg 30 L

V-twin cylinder, liquid-cooled, 4-stroke,SOHC,8-Valve 963 cc

2WD/4WD/Front differential lock

Four wheel hydraulic disc

independent suspension

independent suspension

Spiral spring absorber, air shocks

Front: 14x7.0 Rear: 14x8.0

+ rear wheel parking

F: Double A-arm

R: Trailing arm

Front: 27×9.00-14

Rear: 27×11.00-14

Velocity Grey,

TrueTimber Camo

Lava Orange, Royal Blue,

Bosch EFI CVT

963 cc

Bosch EFI CVT

580 cc

CVT

Switchable 2WD/4WD

Fourwheel hydraulic disc

Beadlock wheels.

Rear: 27×11-14/CST off-road tires Granite Ridge,

Front: 14x7.0 Rear: 14x8.0.

UFORCE 600

2395×1264×1420 mm 2820x1470x1950 mm

1480 mm 300 mm 490 kg 240 kg 30 L

V-twin cylinder, liquid-cooled,

4-stroke, SOHC, 8-Valve

1000 OVERLAND

CFORCE

Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve

1950 mm

270 mm

640 kg

410 kg

35 L

EFI

963 cc

V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve

Switchable 2WD/4WD

Four wheel hydraulic disc

+ rear wheel side parking

independent suspension

F: 230mm R: 230mm

Spiral spring oil shock absorber

Front: 14x7.0 Rear: 14x8.0

Twilight Blue, Nebula Black

Front: 27×9.00-14

Rear: 27×11.00-14

TrueTimber Camo

F/R: Double A-arm

EFI CVT

V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve 963 cc

EFI CVT

CVT

Switchable 2WD/4WD 2WD/4WD/Front differential lock

Four wheel hydraulic disc Four wheel hydraulic disc + rear wheel side parking + rear wheel side parking

F/R: Double A-arm independent suspension

F: 230mm R: 230mm

independent suspension F: 340mm R: 395mm

Piggy back airshocks, adjustable Spiral spring oil shock absorber compression, rebound and preload

Front: 14x7.0 Rear: 14x8.0 Front: 14x7.0 Rear: 14x7.0

Front: 27×9.00-14 Front: 29×9.00-14 Rear: 27×11.00-14 Rear: 29×11.00-14

Twilight Blue, Nebula Black, Royal Blue, Nebula Black, TrueTimber Camo Pearl White

2WD/4WD/Front differential lock

Four wheel hydraulic disc + rear wheel side parking

F: Double A-arm. independent suspension R: Trailing arm, independent suspension

F: 170mm R: 190mm

Piggy back airshocks, adjustable compression, rebound and preload

Front: 27×9-14/CST off-road tires

VSX Midnight Camo

+ rear wheel side parking F/R: Double A-arm independent suspension

F: 230mm R: 254mm

Front: 12x6.0 Rear: 12x7.5

Velocity Grey, Royal Blue, Tactical Green

Spiral spring oil shock absorber

Front: 25×8.00-12 Rear: 25×10.00-12