



2022

MOTORCYCLES COLLECTION



ZHEJIANG CFMOTO POWER CO., LTD.

No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100, Zhejiang Province.

☎ 86-571-89265799

✉ info@cfmoto.com/media@cfmoto.com

🌐 Global.cfmoto.com

📘 [CFMOTO_Official](#)

📷 [cfmoto_world](#)

📺 [CFMOTO](#)

Copyright Zhejiang CFMOTO Power co., Ltd. 2021. All rights reserved. Photos are for illustrative purposes only. The vehicle configuration may be subject to change due to local laws and regulations in different countries and regions. Vehicle specifications are subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.

250SR — 05

300SR — 07

650GT — 09

650MT — 11

800MT — 13

700CL-X Heritage — 15

700CL-X SPORT — 17

250CL-X — 19

PAPIO — 21

150NK — 23

250NK / 300NK — 25

400NK / 650NK — 27

SPECS — 29



Sit up-roll off the throttle-squeeze the
brakes-downshift-bend the legs-shift your
weight-hang off the side-throttle out...
Ease into the seat of the CFMOTO 250SR
Envision the track
Every turn and every movement is in clear focus
The 250SR springs to life
Quick-revving power awakens my senses
Speed stirs my adrenaline
Power pulses through the engine and the
frame, working with me as one
The track flows beneath me and obeys my
every command
Power, passion, control and victory
You think it's just a race
I think it's the ultimate game.



PLAY TO WIN



Velocity Grey

Nebula White

Nebula Black

Ghost Grey

Lava Orange

Length x Width x Height: 2010 x 750 x 1080 mm

Wheelbase: 1360 mm

Fuel Capacity: 12 L

Displacement: 249 cc

Engine Type: Single-cylinder, liquid-cooled, DOHC,
4 valves

PLAY TO WIN

The single-cylinder, liquid-cooled, 292cc DOHC engine produces 20.5kW at 8750rpm and 25.0N·m at 7000rpm. Quick-revving power and strong torque provide the sporting performance you crave, with a remarkably smooth delivery that provides an exhilarating ride both on the track and on the street.



300SR



Length x Width x Height: 2010 x 750 x 1080 mm
Wheelbase: 1360 mm
Fuel Capacity: 12 L
Displacement: 292 cc
Engine Type: Single-cylinder, liquid-cooled, DOHC, 4 valves

Nebula Black

Ghost Grey

Lava Orange



Length x Width x Height: 2100 x 930 x 1300 mm
 Wheelbase: 1415 mm
 Fuel Capacity: 19 L
 Displacement: 649 cc
 Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled



Midnight Black

Nebula White

650GT

When a sporting performance meets modern practicality
 When elegant design aesthetics are injected into a touring bike
 Rules go out the window, average is left behind
 A 650GT is born

Twist the throttle
 Feel the steady rush of power
 Shift into gear and ignite your senses
 Leave the world behind
 Lose yourself in the acceleration and find yourself in the journey.





650MT is a multifunctional bike based on the mature and stable CFMOTO 650cc engine platform, with streamlined designed, and sufficient travel feature for multi-terrain traveling. Equipped with light weighted fork, upside down front shock absorber and BOSCH EFI system, 650MT is a bike that is not only excellent in handling but also a safe and loyal friend while travelling on the way.

Length x Width x Height: 2180 x 835 x 1332 mm

Wheelbase: 1425 mm

Fuel Capacity: 18 L

Displacement: 649cc

Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula White

Athens Blue





Get away from the hustle and bustle of the city, go to places off the beaten track, feel the moment and immerse yourself in the free. The 800MT has strong power and huge capability when facing the long-distance ride. Equipped with world-class DOHC liquid-cooled 799cc twin-cylinder engine. The multifunctional touring designing and supreme riding precision, coupled with KYB suspension and cornering ABS, 800MT makes the riding with safety and stability possible. With its selectable riding modes and a 19L large-capacity fuel tank, it will satisfy your desire to embark on more challenging routes.



GO WITH THE FLOW



Twilight Blue

Nebula Black

Twilight Blue

ENJOY THE MOTOR



Length x Width x Height: 2100 x 860 x 1150 mm

Wheelbase: 1435 mm

Fuel Capacity: 13.5 L

Displacement: 693 cc

Engine Type: 2-cylinder inline, liquid-cooled

Twilight Blue

Coal Grey

700CL-X



Does X mark the unknown, or does it call us to infinite possibilities?

When faced with the uncertain, some find an equation to be solved.

Others find themselves at the threshold of possibility.

There are no guarantees on the journey ahead, only miles to be enjoyed on the road ahead. Embrace the possibilities, remove the boundaries and dare to explore diverse terrain. Fraught as it may be with challenges along the way, freedom is on the journey.

The bold will enjoy every moment of twisting the throttle toward tomorrow.





The 700CL-X SPORT is a sharp alternative in the naked class between modern and retro. It has the classic features of a café racer in contemporary style. Pre-equipped standard with ABS, electronic throttle, slipper clutch, cruise control, Brembo brakes, KYB suspension, clip-on bars, ignition protection, rollover sensor, and LED lighting. 700CL-X SPORT has that sophisticated café-style SPORTy look from any angle you look at it.



700CL-X SPORT



Length x Width x Height: 2096 x 790 x 1130 mm

Wheelbase: 1435 mm

Fuel Capacity: 13.5 L

Displacement: 693 cc

Engine Type: 2-cylinder inline, liquid-cooled

Nebula White

Velocity Grey



ENJOY the
MOMENT

250 CL-X



ENJOY
THE
MOMENT



Length x Width x Height: 2020 x 835 x 1138 mm

Wheelbase: 1365 mm

Fuel Capacity: 14.5 L

Displacement: 249 cc

Engine Type: Single cylinder water-cooled engine

Nebula White

Nebula Black



PURE FUN WITH STYLE,
THIS IS 250CL-X.

Enjoy every moment throughout the day,
whether it's weekdays or weekends.
250CL-X is highly versatile; It is a great
everyday commuter and can be great
fun for unrestrained rides in and around
the city in the free time. It can seamlessly
switch between various situations to
discover beautiful experiences.

250CL-X

ST PAPIO



Length x Width x Height: 1724 x 750 x 995 mm

Wheelbase: 1214 mm

Fuel Capacity: 7 L

Displacement: 126 cc

Engine Type: Single cylinder, 4-stroke, air cooled, verticle

Lemon Green




Nebula White

Approachable and friendly
Potent power in a small package
Excellent cornering capability
Responsive and nimble
Define your own style, set your own pace on the ST PAPIO, a fresh perspective on two wheels.

Geared toward the generation of freedom, style and fun
Compact design with big performance
Unique, modern and distinctive
Unmistakable style

Galaxy Grey





150NK

Length x Width x Height: 2025 x 770 x 1070 mm
Wheelbase: 1360 mm
Fuel Capacity: 10 L
Displacement: 149.5 cc
Engine Type: Single-cylinder, 4-stroke, liquid-cooled, vertical

Turquoise Blue

Titanium Grey



Experience more on the upgraded 150NK featuring Continental anti-lock braking systems (ABS) designed to help drivers retain steering control by preventing wheels from locking up during an episode of heavy braking.



Start your street riding passion here. Ride stress-free and relaxed through the streets with the 300NK/250NK and chase the rhythm of your heart!



Length x Width x Height: 1990 x 780 x 1070 mm

Wheelbase: 1360 mm

Fuel Capacity: 12.5 L

Displacement: 292 cc / 249 cc

Engine Type: Single-cylinder, 4-stroke, liquid-cooled, vertical

Nebula Black

Athens Blue



Length x Width x Height: 2114 x 830 x 1100 mm
Wheelbase: 1415 mm
Fuel Capacity: 17 L
Displacement: 400 cc
Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula Black

Nebula White



Length x Width x Height: 2115 x 830 x 1105 mm
Wheelbase: 1415 mm
Fuel Capacity: 17 L
Displacement: 649 cc
Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula White

Nebula Black



250SR

Length x Width x Height	2010 x 750 x 1080 mm
Wheelbase	1360 mm
Seat Height	780 mm
Fuel Capacity	12 L
Curb Weight	165 kg

ENGINE

Engine	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	249 cc
Bore x Stroke	72 x 61.2 mm
Max Power	19.5 kW / 9200 rpm
Max Torque	22 N·m / 7250 rpm
Compression Ratio	11.3 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

CHASSIS

Rim (Front/Rear)	3.0 x 17 MT 3.75 x 17 MT
Front Tyre	110/70 R17
Rear Tyre	140/60 R17
Front Suspension	Ø37 Telescopic upside down, Hydraulic damping
Rear Suspension	Mono Suspension, centre alligned
Front/Rear Suspension Stroke	110 / 46 mm(shock travel)
Front Brake	Ø292 mm Single disc, 4-piston Caliper
Rear Brake	Ø220 mm Single disc, Single-piston Floating Caliper
ABS&CBS	ABS(Continental)

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	TFT-Display with Bluetooth connectivity
T-BOX	/

MY22	Nebula Black, Ghost Grey, Lava Orange
------	---------------------------------------



250SR S

Length x Width x Height	2010 x 750 x 1080 mm
Wheelbase	1360 mm
Seat Height	780 mm
Fuel Capacity	12 L
Curb Weight	157 kg

Engine	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	249 cc
Bore x Stroke	72 x 61.2 mm
Max Power	19.5 kW / 9200 rpm
Max Torque	22 N·m / 7250 rpm
Compression Ratio	11.3 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	3.0 x 17 MT 3.75 x 17 MT
Front Tyre	110/70 R17
Rear Tyre	140/60 R17
Front Suspension	Ø37 Telescopic upside down, Hydraulic damping
Rear Suspension	Mono Suspension, centre alligned
Front/Rear Suspension Stroke	110 / 43 mm(shock travel)
Front Brake	Ø292 mm Single disc, 4-piston Caliper
Rear Brake	Ø240 mm Single disc, Single-piston Floating Caliper
ABS&CBS	ABS(Continental)

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	TFT-Display with Bluetooth connectivity
T-BOX	/

MY22	Nebula White, Velocity Grey
------	-----------------------------



300SR

Length x Width x Height	2010 x 750 x 1080 mm
Wheelbase	1360 mm
Seat Height	780 mm
Fuel Capacity	12 L
Curb Weight	165 kg

Engine	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	292 cc
Bore x Stroke	78 x 61.2 mm
Max Power	20.5 kW / 8750 rpm
Max Torque	25.0 N·m / 7000 rpm
Compression Ratio	11 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	3.0 x 17 MT 3.75 x 17 MT
Front Tyre	110/70 R17
Rear Tyre	140/60 R17
Front Suspension	Ø37 Telescopic upside down, Hydraulic damping
Rear Suspension	Mono Suspension, centre alligned
Front/Rear Suspension Stroke	110 / 46 mm(shock travel)
Front Brake	Ø292 mm Single disc, 4-piston Caliper
Rear Brake	Ø220 mm Single disc, Single-piston Floating Caliper
ABS&CBS	ABS(Continental)

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	TFT-Display with Bluetooth connectivity
T-BOX	/

MY22	Nebula Black, Ghost Grey, Lava Orange
------	---------------------------------------



650GT

Length x Width x Height	2100 x 930 x 1340 mm
Wheelbase	1415 mm
Seat Height	795 mm
Fuel Capacity	19 L
Curb Weight	226 kg

Engine	2-cylinder inline, 4-stroke, liquid-cooled
Displacement	649 cc
Bore x Stroke	83 x 60 mm
Max Power	41.5 kW / 8250 rpm
Max Torque	54.4 N·m / 7000 rpm
Compression Ratio	11.3 : 1
Clutch Type	Wet, Multi-plate
EMISSION	EURO V

Rim (Front/Rear)	3.50 x 17 MT 4.50 x 17 MT
Front Tyre	120/70 ZR17 Pirelli
Rear Tyre	160/60 ZR17 Pirelli
Front Suspension	KYB Upright Front Suspension
Rear Suspension	KYB Offset Rear Suspension
Front/Rear Suspension Stroke	120 / 45 mm(shock travel)
Front Brake	Dual Disc, J.Juan Double-piston Caliper
Rear Brake	Single Disc, J.Juan Single-piston Caliper
ABS&CBS	ABS(Continental)

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	TFT-Display
T-BOX	/

MY22	Nebula White, Midnight Black
------	------------------------------



650MT

Length x Width x Height	2180 x 835 x 1332 mm
Wheelbase	1425 mm
Seat Height	820 / 840 mm(optional)
Fuel Capacity	18 L
Curb Weight	218 kg

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
Displacement	649 cc
Bore x Stroke	83 x 60 mm
Max Power	41.5 kW / 8250 rpm
Max Torque	54.4 N·m / 7000 rpm
Compression Ratio	11.3 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	3.5 x 17 MT 4.5 x 17 MT
Front Tyre	120/70 ZR17 M/C Pirelli GT
Rear Tyre	160/60 ZR17 M/C Pirelli GT
Front Suspension	USD Front Suspension
Rear Suspension	Offset Rear Suspension
Front/Rear Suspension Stroke	140 / 45 mm(shock travel)
Front Brake	Dual Disc, J.Juan Double-piston Caliper
Rear Brake	Single Disc, J.Juan Single-piston Caliper
ABS&CBS	ABS(Continental)

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	5" TFT-Display
T-BOX	/

MY22	Nebula White, Athens Blue
------	---------------------------



800MT Sport / Touring

Length x Width x Height	2234 x 853 x 1277 mm
Wheelbase	1531 mm
Seat Height	825 mm
Fuel Capacity	19 litre
Curb Weight	231 kg (not including side box)

Engine	2-cylinder inline, liquid-cooled, DOHC, Eight Valves
Displacement	799 cc
Bore x Stroke	88 x 65.7 mm
Max Power	67 kW / 9250 rpm
Max Torque	75 N·m / 8000 rpm
Compression Ratio	12.7 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	Aluminium Alloy Rim/Spoke Rim, Front 19", Rear 17"
Front Tyre	110/80 ZR19
Rear Tyre	150/70 ZR17
Front Suspension	KYB upside down. Damping adjustable.
Rear Suspension	Damping adjustable
Front/Rear Suspension Stroke	160mm / 150mm (shock travel)
Front Brake	Ø320mm Double disc, J.Juan, radial fixed caliper
Rear Brake	Ø240mm Single disc, J.Juan
ABS&CBS	ABS. Cornering ABS

Headlight	LED (low beam always-on)
Tail Light	LED
Turn Light	LED
Instrument	7" TFT-Display
T-BOX	/

MY22	Sport: Nebula Black, Twilight Blue. Touring: Twilight Blue.
------	--



700CL-X Heritage

Length x Width x Height	2100 x 860 x 1150 mm
Wheelbase	1435 mm
Seat Height	800 mm
Fuel Capacity	13.5 L
Curb Weight	193 kg

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
Displacement	693 cc
Bore x Stroke	83x64 mm
Max Power	51.5 kW / 8750 rpm
Max Torque	60.9 N·m / 6500 rpm
Compression Ratio	11.6 : 1
Clutch Type	Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	3.0 x 18 MT 5.5 x 17 MT
Front Tyre	MT 60 RS 110/80 R18(Pirelli)
Rear Tyre	MT 60 RS 180/55 R17(Pirelli)
Front Suspension	USD Fork, damping adjustable
Rear Suspension	Rear Cantilever Suspension, preload & damping adjustable
Front/Rear Suspension Stroke	150 / 150 mm(shock travel)
Front Brake	Radial Mount Brake Caliper, Ø320mm single disc
Rear Brake	Floating Brake Caliper, Ø260mm single disc
ABS&CBS	ABS(Continental)

Headlight	Auto LED light
Tail Light	LED
Turn Light	LED
Instrument	LCD
T-BOX	/

MY22	Midnight Blue, Galaxy Grey
------	----------------------------



700CL-X Sport	
Length x Width x Height	2096 x 790 x 1130 mm
Wheelbase	1435 mm
Seat Height	795 mm
Fuel Capacity	13 L
Curb Weight	205 kg
Engine	2-cylinder inline, 4-stroke, liquid-cooled DOHC
Displacement	693 cc
Bore x Stroke	83x64 mm
Max Power	51.8 kW / 8750 rpm
Max Torque	61.2 N-m / 6500 rpm
Compression Ratio	11.6 : 1
Clutch Type	Wet, Multi-plate, Slipper Clutch
EMISSION	EURO V

Rim (Front/Rear)	3.5 x 17 MT 5.5 x 17 MT
Front Tyre	120/70 ZR17, MAXXIS MA-ST2
Rear Tyre	180/55 ZR17, MAXXIS MA-ST2
Front Suspension	Ø41 KYB upside down.

Rear Suspension	Preload, compression, rebound adjustable
Front/Rear Suspension Stroke	150 / 150 mm(shock travel)
Front Brake	Ø300mm Double-disc, Brembo Stylema caliper
Rear Brake	Ø260mm Single-disc, Brembo dual-piston caliper
ABS&CBS	ABS

Headlight	Auto LED light
Tail Light	LED
Turn Light	LED
Instrument	LCD
T-BOX	/

MY22	Nebula White, Velocity Grey.
------	------------------------------

250CL-X	
2020 x 835 x 1138 mm	
1365 mm	
795 mm	
14.5 L	
155 kg	
Single cylinder water-cooled engine	
249 cc	
72 x 61.2 mm	
19.5 kW / 9200 rpm	
22 N-m / 7250 rpm	
11.3 : 1	
Slip clutch	
EURO V	

3.5 x 17 MT 4.0 x 17 MT	
110/70 R17 M/C CST S1	
150/60 R17 M/C CST S1	
Ø37 Inverted shock absorpion	

Spring hydraulic central single shock absorber	
125 / 40 mm(shock travel)	
Ø292mm single disc, opposed flat-four pistons	
Ø220mm single disc, single piston floating caliper	
ABS	

LED (low beam)	
LED	
LED	
Monochrome LCD instrument	
Optional (South America, North America, Turkey, Brazil)	

Nebula White, Nebula Black	
----------------------------	--

ST PAPIO	
1724 x 750 x 995 mm	
1214 mm	
775 mm	
7 L	
114 kg	
Single cylinder, 4-stroke, Air cooled, Vertical	
126 cc	
57 x 49.4 mm	
7.0 kW / 8500 rpm	
8.3 N-m / 6500 rpm	
9.0 : 1	
Wet, Multi-plate	
NON-EURO V	

2.75 x 12 MT 3.5 x 12 MT	
120/70-12	
130/70-12	
USD Front Suspension	

Mono Suspension, centre aligned	
109 / 34 mm(shock travel)	
Single-disc, Double-piston Caliper	
Single-disc, Single-piston Caliper	
/	

Halogen	
LED	
LED	
LCD	
/	

Nebula White, Lemon Green Galaxy Grey	
---------------------------------------	--

150NK	
2025 x 770 x 1070 mm	
1360 mm	
775 mm	
10 L	
142 kg	
Single-cylinder, 4-stroke, liquid-cooled, vertical	
150 cc	
57 x 58.6 mm	
9.2 kW / 8250 rpm	
11.5 N-m / 6500 rpm	
10.5 : 1	
Cable Clutch	
NON-EURO V	

2.5 x 17 MT 3.5 x 17 MT	
100/80-17 M/C ZC RUBBER	
130/70-17 M/C ZC RUBBER	
USD Front Suspension	

Mono Suspension, centre aligned	
115 / 115 mm(shock travel)	
Single-disc, 4-piston Caliper	
Single-disc, Single-piston Caliper	
ABS	

Halogen (low beam always-on)	
LED	
LED	
LCD	
/	

Turquoise Blue, Titanium Grey	
-------------------------------	--

250NK	
1990 x 780 x 1070 mm	
1360 mm	
795 mm	
12.5 L	
158 kg	
Single-cylinder, 4-stroke, liquid-cooled, vertical	
249 cc	
72 x 61.2 mm	
19.5 kW / 9200 rpm	
22 N-m / 7250 rpm	
11.3 : 1	
Wet, Multi-plate	
EURO V	

3.5 x 17 MT 4.0 x 17 MT	
110/70 R17 M/C CST S1	
140/60 R17 M/C CST S1	
USD Front Suspension	

Mono Suspension, centre aligned	
120 / 46 mm(shock travel)	
Single-disc, 4-piston Caliper	
Single-disc, Single-piston Caliper	
ABS(Continental)	

LED (low beam always-on)	
LED	
LED	
5" TFT-Display	
/	

Athens Blue, Nebula Black	
---------------------------	--

300NK	
1990 x 780 x 1070 mm	
1360 mm	
795 mm	
12.5 L	
151 kg	
Single-cylinder, 4-stroke, liquid-cooled, vertical	
292 cc	
78 x 61.2 mm	
20.5 kW / 8750 rpm	
25.0 N-m / 7000 rpm	
11.3 : 1	
Wet, Multi-plate, Slipper Clutch	
EURO V	

3.5 x 17 MT 4.0 x 17 MT	
110/70 R17 M/C CST S1	
140/60 R17 M/C CST S1	
USD Front Suspension	

Mono Suspension, centre aligned	
120 / 46 mm(shock travel)	
Single-disc, 4-piston Caliper	
Single-disc, Single-piston Caliper	
ABS(Continental)	

LED (low beam always-on)	
LED	
LED	
5" TFT-Display	
/	

Athens Blue, Nebula Black	
---------------------------	--

400NK	
2114 x 750 x 1100 mm	
1415 mm	
780 mm	
17 L	
206 kg	
2-cylinder inline, 4-stroke, liquid-cooled, DOHC	
400 cc	
68.4 x 54.5 mm	
30.5 kW / 9500 rpm	
34.4 N-m / 7650 rpm	
11.3 : 1	
Wet, Multi-plate	
NON-EURO V	

3.5 x 17 MT 4.5 x 17 MT	
120/70ZR17M/C CST	
160/60ZR17M/C CST	
Upright Suspension	
Offset Rear Suspension (preload and damping adjustable)	

112 / 45 mm(shock travel)	
Ø300 mm Dual Disc, J.Juan Double-piston Caliper	
Ø240 mm Single Disc, J.Juan Single-piston Caliper	
ABS(Continental)	

LED (low beam always-on)	
LED	
LED	
5" TFT-Display	
/	

Nebula White, Athens Blue	
---------------------------	--

650NK	
2114 x 750 x 1100 mm	
1415 mm	
780 mm	
17 L	
206 kg	
2-cylinder inline, 4-stroke, liquid-cooled, DOHC	
649 cc	
83 x 60 mm	
41.5 kW / 8250 rpm	
54.4 N-m / 7000 rpm	
11.3 : 1	
Wet, Multi-plate, Slipper Clutch	
EURO V	

3.5 x 17 MT 4.5 x 17 MT	
120/70 ZR17 M/C, Pirelli GT	
160/60 ZR17 M/C, Pirelli GT	
KYB Upright Front Suspension	

KYB Offset Rear Suspension	
120 / 45 mm(shock travel)	
Ø300 mm Dual-disc, J.Juan Double-piston Caliper	
Ø240 mm Single-disc, J.Juan Single-piston Caliper	
ABS(Continental)	

LED (low beam always-on)	
LED	
LED	
5" TFT-Display	
/	

Nebula White, Nebula Black	
----------------------------	--